



BEARING CORP.

5.512 Inch | 140.005 Millimeter x 2.50 in x 24.75 in TIMKEN SDAF 22328 Pillow Block Bearings



Bearing No. SDAF 22328

SDAF 22328 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	138.47
EAN	0087796217980
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Shaft Mount
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1-1/4 Inch
Relubricatable	Yes
Insert Part Number	22328
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Double Row Heavy Duty Straight Bore
Long Description	4 Bolt Pillow Block; 5.512" Bore; 7-1/16" Base to Center Height; Shaft Mount Mount; Spherical Roller Bearing; 19-3/8" Minimum Bolt Spacing; 21-5/8" Bolt Spacing Maximum;



BEARING CORP.

	Relubricat
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	SDAF 22328
Weight / LBS	305
Nominal Bolt Center to Center	20.5 Inch 520.7 Millimeter
Bolt Spacing Minimum	19.375 Inch 492.125Millimeter
D	9.625 Inch 244.475 Millimeter
B	7.063 Inch 179.4 Millimeter
d	5.512 Inch 140.005 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
Bolt Spacing Maximum	21.625 Inch 549.275Millimeter
Diameter S-2	6 1/4 in
Diameter S-3	5 5/16 in
A	7.0625 in
B	24.75 in
C	9.000 in
D	2.50 in
E Max.	21.6250 in
E Min.	19.3750 in
F	5.5 in
H ¹	14.2500 in
Oil Level K	2.6875 in



BEARING CORP.

L ²	9.625 in
Y	3.0781 in
No. of Base Bolts Required	4
Bolt Hole Length	2.375 in
Bolt Hole Width	1.250 in
Size of Base Bolts Required	1.25 in
Locknut	AN28
Lockwasher	W28
Housing Only ³	SDAF328
Stabilizing Ring 1 Req ' d ⁴	SR-0-28
Triple Seal 2 Req ' d at S-2	LOR144
Triple Seal 2 Req ' d at S-3	LOR127
Assembly Weight	305.000 lb
Full Timken Part Number	SDAF22328